

10 years  
warranty  
Terms and Conditions Apply



**Onederbond®**  
AWNING AND ROOFING  
ALUMINIUM COMPOSITE PANEL



# Noise Reduction



# Better Heat Resistance



## Product Advantages

- Timeless Appearance
- Colour Uniformity
- Maintenance Free
- Superior Machinability
- ECO-Friendly



Upper Colour



METALLIC GREY OB-43

Or



METALLIC BROWN OB-42

Lower Colour



CLOVE BROWN OW-56

Lower Colour



SAUNA WOOD OW-55

Upper Colour



METALLIC GREY OB-43

Or



METALLIC BROWN OB-42



# Onderbond ACP


Onderbond Aluminium Composite Panel is manufactured to the highest standard for outdoor shadings solution.

With the most stringent in house QC test, we are giving you the perfect outdoor shadings solution for today, and for years to come.

Onderbond provides curved and straight profiles in a choice of different colours to meet your aesthetic requirement.

Be unique. Be different. Be contemporary with Onderbond!

## Panel Composition



## Onderbond ACP Dimensions

Standard Width	: 1220mm (4ft)
Standard Length	: 2440mm (8ft), 3660mm (12ft), 4270mm (14ft), 4880mm (16ft), 5490mm (18ft), 6100mm (20ft)
Available Thickness	: 4mm

**Disclaimer:**

The colours in the flyer are not the actual coated finishing, but a printed shade for illustration and reference. Despite every effort to provide accurate product's colour, the colour of the actual product may slightly vary from the colour shown in the flyer.

DISTRIBUTOR

OAL-VI03-2302